#### MATERIAL SAFETY DATA SHEET

Date Printed: 07/20/2005 Date Updated: 04/04/2004

Version 1.1

# Section 1 - Product and Company Information

Product Name TIGLIC ACID

Product Number 89450 Brand FLUKA

Company Sigma-Aldrich Canada, Ltd Street Address 2149 Winston Park Drive City, State, Zip, Country Oakville ON L6H 6J8 CA

Technical Phone: 9058299500
Emergency Phone: 800-424-9300
Fax: 9058299292

# Section 2 - Composition/Information on Ingredient

Substance Name CAS # SARA 313 TIGLIC ACID 80-59-1 No

Formula C5H8O2

Synonyms 2-Butenoic acid, 2-methyl-, (E)- (9CI) \* Cevadic

acid \* (E)-2,3-Dimethylacrylic acid \*
trans-alpha,beta-Dimethylacrylic acid \*

trans-2,3-Dimethylacrylic acid \*
(E)-2-Methyl-2-butenoic acid \*
trans-2-Methyl-2-butenoic acid \*

(E)-2-Methylcrotonic acid \*

trans-2-Methylcrotonic acid \* Tiglic acid \*

Tiglinic acid

RTECS Number: GQ5430000

# Section 3 - Hazards Identification

## EMERGENCY OVERVIEW

Corrosive.

Causes burns.

Vesicant.

For additional information on toxicity, please refer to Section 11.

# Section 4 - First Aid Measures

## ORAL EXPOSURE

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

## INHALATION EXPOSURE

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

## DERMAL EXPOSURE

In case of contact, immediately wash skin with soap and copious amounts of water.

#### EYE EXPOSURE

Contamination of the eyes should be treated by immediate and prolonged irrigation with copious amounts of water.

## INFORMATION FOR PHYSICIAN

Contamination of the eyes should be treated by immediate and prolonged irrigation with copious amounts of water.

## Section 5 - Fire Fighting Measures

#### EXPLOSION DATA

Dust Potential: This material, like most materials in powder form, is capable of creating a dust explosion.

## FLASH POINT

N/A

#### AUTOIGNITION TEMP

N/A

## FLAMMABILITY

N/A

## EXTINGUISHING MEDIA

Suitable: Carbon dioxide, dry chemical powder, or appropriate foam. Water spray.

## FIREFIGHTING

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

## EXPOSURE HAZARD(S)

Material: Vesicant. Corrosive.

## Section 6 - Accidental Release Measures

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL Evacuate area.

# PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

# METHODS FOR CLEANING UP

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

# Section 7 - Handling and Storage

## HANDLING

User Exposure: Do not breathe dust. Do not get in eyes, on skin, on clothing. Avoid prolonged or repeated exposure.

#### **STORAGE**

Suitable: Keep tightly closed.

# Section 8 - Exposure Controls / PPE

# ENGINEERING CONTROLS

Use only in a chemical fume hood. Safety shower and eye bath.

## PERSONAL PROTECTIVE EQUIPMENT

Other: Wear appropriate government approved respirator, chemical-resistant gloves, safety goggles, other protective clothing.

# GENERAL HYGIENE MEASURES

Wash thoroughly after handling. Wash contaminated clothing before

Section 9 - Physical/Chemical Properties

Appearance	Color: Colorless Form: Fine crystals	
Property	Value	At Temperature or Pressure
Molecular Weight pH BP/BP Range MP/MP Range Freezing Point Vapor Pressure Vapor Density Saturated Vapor Conc. SG/Density Bulk Density Odor Threshold Volatile% VOC Content Water Content Solvent Content Evaporation Rate Viscosity Surface Tension Partition Coefficient Decomposition Temp. Flash Point Explosion Limits Flammability Autoignition Temp Refractive Index Optical Rotation	100.12 AMU N/A 198.5 °C 61 °C N/A	At Temperature or Pressure  760 mmHg
Miscellaneous Data Solubility	N/A N/A	
N/A = not available		

# Section 10 - Stability and Reactivity

Materials to Avoid: Bases, Oxidizing agents, Reducing agents.

# HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide.

# Section 11 - Toxicological Information

#### ROUTE OF EXPOSURE

Skin Contact: Causes blisters on contact with skin. Multiple Routes: Harmful if swallowed, inhaled, or absorbed through skin.

#### SIGNS AND SYMPTOMS OF EXPOSURE

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Inhalation may result in spasm, inflammation and edema of the larynxand bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting.

## CONDITIONS AGGRAVATED BY EXPOSURE

The toxicological properties have not been thoroughly investigated.

# TOXICITY DATA

Oral Rat > 5000 mg/kgLD50 Skin Rabbit > 5000 mg/kgLD50

#### TRRITATION DATA

Skin Rabbit 500 mg 24H

Remarks: Severe irritation effect

Section 12 - Ecological Information

No data available.

Section 13 - Disposal Considerations

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

# Section 14 - Transport Information

# DOT

Proper Shipping Name: Corrosive solid, acidic, organic, n.o.s. UN#: 3261 Class: 8 Packing Group: Packing Group II Hazard Label: Corrosive PIH: Not PIH IATA

Proper Shipping Name: Corrosive solid, acidic, organic, n.o.s. IATA UN Number: 3261 Hazard Class: 8

# Section 15 - Regulatory Information

# EU ADDITIONAL CLASSIFICATION

Symbol of Danger: C

Indication of Danger: Corrosive.

R: 34

Risk Statements: Causes burns.

S: 26 36/37/39 45

Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves, and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## US CLASSIFICATION AND LABEL TEXT

Indication of Danger: Corrosive.

Risk Statements: Causes burns.

Safety Statements: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves, and eye/face protection. US Statements: Vesicant.

## UNITED STATES REGULATORY INFORMATION

SARA LISTED: No

TSCA INVENTORY ITEM: Yes

## CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: Yes NDSL: No

Section 16 - Other Information

## DISCLAIMER

For R&D use only. Not for drug, household or other uses.